## AMENDMENTS TO THE CLAIMS

| 1'  | 1. (Currently Amended) A download system including (a) a receiving apparatus for                    |
|-----|-----------------------------------------------------------------------------------------------------|
| 2   | receiving and executing a program and (b) a transmitting apparatus for transmitting the program     |
| 3   | to the receiving apparatus,                                                                         |
| 4   | the receiving apparatus comprising:                                                                 |
| 5   | information generating means for generating receiving apparatus information that                    |
| 6   | indicates a use state of resources held by the receiving apparatus that are necessary for program   |
| 7   | executions, the use state indicating a current status of each resource being used and each resource |
| . 8 | not being used;                                                                                     |
| 9   | request transmitting means for transmitting to the transmitting apparatus a                         |
| 10  | download request which contains (a) an identification of a download-target program and (b) the      |
| 11  | generated receiving apparatus information; and                                                      |
| 12  | program receiving means for receiving a program that is sent from the                               |
| 13  | transmitting apparatus in response to the download request, and                                     |
| 14  | the transmitting apparatus comprising:                                                              |
| 15  | program holding means for holding one or more programs and identifications                          |
| 16  | thereof;                                                                                            |
| 17  | resource information holding means for holding one or more pieces of resource                       |
| 18  | information which correspond to the one or more programs on a one-to-one basis and each             |
| 19  | indicate resources necessary for an execution of a corresponding program;                           |
| 20  | request receiving means for receiving the download request from the receiving                       |
| 21  | apparatus;                                                                                          |

| judging means for judging, from (a) a piece of resource information                                 |
|-----------------------------------------------------------------------------------------------------|
| corresponding to one of the one or more programs with the identification contained in the           |
| download request and (b) the receiving apparatus information contained in the download request,     |
| whether the receiving apparatus can execute the program with the identification by checking an      |
| amount of unused resource capability currently available; and                                       |
| program transmitting means for not transmitting to the receiving apparatus the                      |
| program with the identification when the judging means judges that the receiving apparatus can      |
| not execute the program.                                                                            |
| 2. (Currently Amended) A download system including (a) a receiving apparatus for                    |
| receiving and executing a program and (b) a transmitting apparatus for transmitting the program     |
| to the receiving apparatus,                                                                         |
| the receiving apparatus comprising:                                                                 |
| information generating means for generating receiving apparatus information that                    |
| indicates a use state of resources held by the receiving apparatus that are necessary for program   |
| executions, the use state indicating a current status of each resource being used and each resource |
| not being used;                                                                                     |
| request transmitting means for transmitting to the transmitting apparatus a                         |
| download request which contains (a) an identification of a download-target program and (b) the      |
| generated receiving apparatus information; and                                                      |
| program receiving means for receiving a program that is sent from the                               |
| transmitting apparatus in response to the download request, and                                     |
| the transmitting apparatus comprising:                                                              |
|                                                                                                     |

. 1

| 15         | program holding means for holding a plurality of programs and identifications                    |
|------------|--------------------------------------------------------------------------------------------------|
| 16         | thereof, the plurality of programs achieving basically the same function and requiring resources |
| 17         | that satisfy different conditions;                                                               |
| 18         | resource information holding means for holding a plurality of pieces of resource                 |
| 19         | information which correspond to the plurality of programs on a one-to-one basis and each         |
| 20         | indicate resources necessary for an execution of a corresponding program;                        |
| 21         | request receiving means for receiving the download request from the receiving                    |
| 22         | apparatus;                                                                                       |
| 23         | judging means for judging, from (a) two or more pieces of resource information                   |
| <b>Ż</b> 4 | corresponding to two or more programs that have the identification contained in the download     |
| 25         | request, among the plurality of programs and (b) the receiving apparatus information contained   |
| 26         | in the download request, whether the receiving apparatus can execute the two or more programs    |
| 27         | by checking an amount of unused resource capability currently available; and                     |
| 28         | program transmitting means for not transmitting to the receiving apparatus a                     |
| 29         | program that the judging means judges the receiving apparatus can not execute.                   |
| 1          | 3. (Original) The download system of Claim 2, wherein                                            |
| 2          | when judging that the receiving apparatus can execute any of at least two                        |
| 3          | programs among the two or more programs, the judging means selects one out of the at least two   |
| 4          | programs, and                                                                                    |
| 5          | the program transmitting means transmits the selected program to the receiving                   |
| 6          | apparatus.                                                                                       |

(Original) The download system of Claim 2, wherein 1 4. 2 when the judging means judges that the receiving apparatus can execute any of at 3 least two programs among the two or more programs, the program transmitting means transmits 4 to the receiving apparatus at least two pieces of characteristic information that each indicate 5 characteristics at an execution of a corresponding one of the at least two programs, receives a selection result which is sent from the receiving apparatus in response to the at least two pieces 6 7 of characteristic information, and transmits a program corresponding to the selection result to the 8 receiving apparatus, and 9 the receiving apparatus further comprising: 10 selection receiving means for presenting to a user the at least two pieces of characteristic information received from the program transmitting means, allowing the user to 11 12 select one among the at least two pieces of characteristic information, and receiving a selection result from the user; and 13 selection result notifying means for notifying the transmitting apparatus of the 14 15 selection result. 1 5. (Currently Amended) A download system including (a) a receiving apparatus for 2 receiving and executing a program and (b) a transmitting apparatus for transmitting the program 3 to the receiving apparatus, 4 the transmitting apparatus comprising: 5 program holding means for holding one or more programs and identifications 6 thereof;

| 7  | resource data holding means for holding one or more pieces of resource data                                 |
|----|-------------------------------------------------------------------------------------------------------------|
| 8  | which correspond to the one or more programs on a one-to-one basis and each define resources                |
| 9  | necessary for an execution of a corresponding program;                                                      |
| 10 | request receiving means for receiving either a resource data request or a program                           |
| 11 | request from the receiving apparatus; and                                                                   |
| 12 | transmitting means for either (a) reading from the resource data holding means a                            |
| 13 | piece of resource data corresponding to an identification contained in the received resource data           |
| 14 | request and transmitting the read piece of resource data to the receiving apparatus, or (b) reading         |
| 15 | from the program holding means a program corresponding to an identification contained in the                |
| 16 | received program request, and transmitting the read program to the receiving apparatus, and                 |
| 17 | the receiving apparatus comprising:                                                                         |
| 18 | first request transmitting means for transmitting to the transmitting apparatus the                         |
| 19 | resource data request that contains the identification of a download-target program;                        |
| 20 | resource data receiving means for receiving the piece of resource data sent from                            |
| 21 | the transmitting apparatus in response to the resource data request;                                        |
| 22 | judging means for judging from the piece of resource data whether the receiving                             |
| 23 | apparatus can execute the download-target program by checking an amount of unused resource                  |
| 24 | capability currently available;                                                                             |
| 25 | second request transmitting means for, when the judging means judges that the                               |
| 26 | receiving apparatus can <u>not</u> execute the download-target program, <u>not</u> transmitting the program |
| 27 | request containing the identification of the download-target program; and                                   |
| 28 | program receiving means for receiving a program that is sent from the                                       |
| 29 | transmitting apparatus in response to the program request.                                                  |

| 1  | 6.               | (Original) The download system of Claim 5, wherein                                    |
|----|------------------|---------------------------------------------------------------------------------------|
| 2. |                  | the one or more pieces of resource data held by the resource data holding means       |
| 3  | are resource     | acquisition scripts used for acquiring resources necessary for executions of          |
| 4  | corresponding    | g programs, and                                                                       |
| 5  |                  | the judging means judges from a result of a provisional execution of a resource       |
| 6  | acquisition so   | cript received from the transmitting apparatus whether the receiving apparatus can    |
| 7  | execute the do   | ownload-target program.                                                               |
| 1  | 7.               | (Currently Amended) A download system including (a) a receiving apparatus for         |
| 2  | receiving and    | executing a program and (b) a transmitting apparatus for transmitting the program     |
| 3  | to the receiving | ng apparatus,                                                                         |
| 4  |                  | the transmitting apparatus comprising:                                                |
| 5  |                  | program holding means for holding one or more programs and identifications            |
| 6  | thereof;         |                                                                                       |
| 7  |                  | check script holding means for holding one or more check scripts which                |
| 8  | correspond to    | the one or more programs and are each used to check whether the receiving             |
| 9  | apparatus has    | either of a device function and an embedded-program function that is necessary for    |
| 10 | an execution     | of a corresponding program;                                                           |
| 11 | •                | request receiving means for receiving either a check script request or a program      |
| 12 | request from     | the receiving apparatus; and                                                          |
| 13 |                  | transmitting means for either (a) reading from the check script holding means a       |
| 14 | check script c   | corresponding to an identification contained in the received check script request and |
| 15 | transmitting t   | the read check script to the receiving apparatus, or (b) reading from the program     |

| 16 | holding means a program corresponding to an identification contained in the received program                |  |
|----|-------------------------------------------------------------------------------------------------------------|--|
| 17 | request, and transmitting the read program to the receiving apparatus, and                                  |  |
| 18 | the receiving apparatus comprising:                                                                         |  |
| 19 | first request transmitting means for transmitting to the transmitting apparatus the                         |  |
| 20 | check script request that contains the identification of a download-target program;                         |  |
| 21 | check script receiving means for receiving the check script sent from the                                   |  |
| 22 | transmitting apparatus in response to the check script request;                                             |  |
| 23 | judging means for judging from a result of an execution of the received check                               |  |
| 24 | script whether the receiving apparatus can execute the download-target program;                             |  |
| 25 | second request transmitting means for, when the judging means judges that the                               |  |
| 26 | receiving apparatus can <u>not</u> execute the download-target program, <u>not</u> transmitting the program |  |
| 27 | request containing the identification of the download-target program; and                                   |  |
| 28 | program receiving means for receiving a program that is sent from the                                       |  |
| 29 | transmitting apparatus in response to the program request.                                                  |  |
| 1  | 8. (Cancelled)                                                                                              |  |
| 1  | 9. (Cancelled)                                                                                              |  |
| 1  | 10. (Currently Amended) A receiving apparatus for receiving and executing a                                 |  |
| 2  | program in a download system which also includes a transmitting apparatus for transmitting the              |  |
| 3  | program to the receiving apparatus, the receiving apparatus comprising:                                     |  |
| 4  | first request transmitting means for transmitting to the transmitting apparatus the                         |  |
| 5  | resource data request that contains the identification of a download-target program;                        |  |

| 6  | resource data receiving means for receiving the piece of resource data sent from                            |
|----|-------------------------------------------------------------------------------------------------------------|
| 7. | the transmitting apparatus in response to the resource data request;                                        |
| 8  | judging means for judging from the piece of resource data whether the receiving                             |
| 9  | apparatus can execute the download-target program by checking an amount of unused resource                  |
| 10 | capability currently available;                                                                             |
| 11 | second request transmitting means for, when the judging means judges that the                               |
| 12 | receiving apparatus can <u>not</u> execute the download-target program, <u>not</u> transmitting the program |
| 13 | request containing the identification of the download-target program; and                                   |
| 14 | program receiving means for receiving a program that is sent from the                                       |
| 15 | transmitting apparatus in response to the program request.                                                  |
| 1  | 11. (Original) The receiving apparatus of Claim 10, wherein                                                 |
| 2  | the piece of resource data received by the resource data receiving means is a                               |
| 3  | resource acquisition script used for acquiring resources necessary for an execution of a                    |
| 4  | corresponding program, and                                                                                  |
| 5  | the judging means judges from a result of a provisional execution of the resource                           |
| 6  | acquisition script received from the transmitting apparatus whether the receiving apparatus can             |
| 7  | execute the download-target program.                                                                        |
| 1  | 12. (Currently Amended) A receiving apparatus for receiving and executing a                                 |
| 2  | program in a download system which also includes a transmitting apparatus for transmitting the              |
| 3  | program to the receiving apparatus, the receiving apparatus comprising:                                     |
| 4  | first request transmitting means for transmitting to the transmitting apparatus a                           |
| 5  | check script request that contains an identification of a download-target program;                          |

| 6   | check script receiving means for receiving a check script sent from the                                     |
|-----|-------------------------------------------------------------------------------------------------------------|
| 7.  | transmitting apparatus in response to the check script request;                                             |
| 8   | judging means for judging from a result of an execution of the received check                               |
| 9   | script whether the receiving apparatus can execute the download-target program;                             |
| 10  | second request transmitting means for, when the judging means judges that the                               |
| 11  | receiving apparatus can <u>not</u> execute the download-target program, <u>not</u> transmitting the program |
| 12  | request containing the identification of the download-target program; and                                   |
| 13  | program receiving means for receiving a program that is sent from the                                       |
| 14  | transmitting apparatus in response to the program request.                                                  |
| . 1 | 13. (Currently Amended) A transmitting apparatus that transmits a program to a                              |
| 1   |                                                                                                             |
| 2   | receiving apparatus that receives and executes the program, the transmitting apparatus and the              |
| 3   | receiving apparatus being included in a download system, the transmitting apparatus comprising:             |
| 4   | program holding means for holding one or more programs and identifications                                  |
| 5   | thereof;                                                                                                    |
| 6   | resource information holding means for holding one or more pieces of resource                               |
| 7   | information which correspond to the one or more programs on a one-to-one basis and each                     |
| 8   | indicate resources necessary for an execution of a corresponding program;                                   |
| 9   | request receiving means for receiving a download request from the receiving                                 |
| 10  | apparatus;                                                                                                  |
| 11  | judging means for judging, from (a) a piece of resource information                                         |
| 12  | corresponding to one of the one or more programs with an identification contained in the                    |
| 13  | download request and (b) receiving apparatus information contained in the download request,                 |

. whether the receiving apparatus can execute the program with the identification by checking an
amount of unused resource capability currently available; and

program transmitting means for <u>not</u> transmitting to the receiving apparatus the program with the identification when the judging means judges that the receiving apparatus can <u>not</u> execute the program.

14. (Currently Amended) A transmitting apparatus that transmits a program to a receiving apparatus that receives and executes the program, the transmitting apparatus and the receiving apparatus being included in a download system, the transmitting apparatus comprising:

program holding means for holding a plurality of programs and identifications thereof, the plurality of programs achieving basically the same function and requiring resources that satisfy different conditions;

resource information holding means for holding a plurality of pieces of resource information which correspond to the plurality of programs on a one-to-one basis and each indicate resources necessary for an execution of a corresponding program;

request receiving means for receiving a download request from the receiving apparatus;

judging means for judging, from (a) two or more pieces of resource information corresponding to two or more programs that have an identification contained in the download request, among the plurality of programs and (b) receiving apparatus information contained in the download request, whether the receiving apparatus can execute the two or more programs, and when judging that the receiving apparatus can execute any of at least two programs among

17 the two or more programs by checking an amount of unused resource capability currently available, selecting one out of the at least two programs; and

program transmitting means for <u>not</u> transmitting <u>to the receiving apparatus</u> the program <u>with the identification when the judging means judges that the receiving apparatus can not execute any of at least two programs selected by the judging means to the receiving apparatus.</u>

1 15. (Cancelled)

19

20

21

22

- 1 16. (Cancelled)
- 1 17. (Cancelled)

440692